

Sound and Light Alarm with Stable PoE Connection to Protect Your Home

V5EP • Foscam **3K/5MP WDR** PoE Security Camera
V8EP • Foscam **4K/8MP HDR** PoE Security Camera

Vehicle Detection | AI Human Detection | PoE Power over Ethernet | Spotlight | Two-way Audio

Sound and Light Alarm | Night Vision | IP66 Weatherproof | Alexa & Google Home | Micro SD Card & Cloud

○ White

● Black

- 5MP (V5EP) / 8MP (V8EP) Waterproof IP Camera
- Support PoE Function
- Support Full Duplex Two-way Audio
- Night Vision Range up to 20m
- Support WDR (V5EP), Support HDR (V8EP)
- H.264+ Video Compression
- Vehicle Detection Alarm via E-Mail and FTP
- Human Detection Alarm via E-Mail and FTP
- P2P Feature for Easy Remote Access
- Support Max. 256GB Micro SD Card (External) and Cloud Storage
- Compatible with Free Foscam Video Management System
- Compatible with Free Foscam iOS and Android APP

Appearance Accessories



Where it can be used

Home Yard, Front Porch, Driveway, Garden or Other Dark Properties

Specification · Outdoor PoE Camera

Spotlight	Color temperature	4500K
Image Sensor	Sensor	1/2.7" CMOS
	Display Resolution	V5EP: 5.0M Pixels(3072*1728)
		V8EP: 8.0M Pixels(3840*2160)
	Frame Rate	V5EP: 5MP(3072*1728)15fps, 1080P(1920*1080)25fps, 720P(1280*720)15fps
		V8EP: 4K(3840*2160) 20 fps, 1080P(1920*1080)25fps, 720P(1280*720)15fps
	Min. Illumination	0 Lux (With IR Illuminator)
Lens	Lens Type	V5EP: f:4.3mm,F2.1
		V8EP: f:4.3mm,F1.6
	Angle of view	V5EP: Horizontal: 78° Vertical: 43.6° Diagonal: 94°
		V8EP: Horizontal: 90.1° Vertical: 46.2° Diagonal: 108.5°
Video	Image Compression	H.264+ / H.264
	Resolution	V5EP: 5MP(3072*1728) 1.5M/15 fps, 1080P(1920*1080)1M/25fps, 720P(1280*720)1M/15fps
		V8EP: 4K(3840*2160) 6M/20 fps, 1080P(1920*1080)1M/25fps, 720P(1280*720)1M/15fps
	Stream	Dual stream
	Image adjustment	The hue, brightness, contrast, saturation, sharpness are adjustable
	Flip image	Flip and mirror
	Night mode	Manual and automatic modes,when the white light is on, the night vision image is colored
	Night visibility	With 4pcs IR-LED and spotlight, Night Vision Range up to 20m
Audio	Input/Output	Build-in mic and speaker,support full duplex real-time 2-way Audio
	Audio Compression	PCM/AAC
	Siren	Support maximum 100dB alarm siren
Network	Ethernet	One 10/100Mbps RJ45 port
	Remote Access	P2P
	Network Protocol	IP、TCP、UDP、SMTP、FTP、DHCP、RTSP
System Requirements	Operating System	Microsoft Windows (Foscam VMS), Mac OS (Foscam VMS), Android (Foscam app), IOS (Foscam app)
Other Features	Motion Detection	Alarm via E-Mail, upload alarm snapshot to FTP
	Human Detection	Alarm via E-Mail, upload alarm snapshot to FTP
	Vehicle Detection	Alarm via E-Mail, upload alarm snapshot to FTP
	User Accounts	Three levels user role
	Reset	Reset button is available
	Intelligent Assistant	Support Alexa, Google Home
Power	Power Supply	DC 12V/1.0A（Not standard）
	POE Standard	802.3af
	Power Consumption	5 Watts (Max.)
Physical	Dimension(LxWxH)	170(L)x66 (W)x66 (H)
	Net Weight	342g
Environment	Waterproof	IP66
	Operating Temperature	-20°C~ 50°C (-4 °F ~ 122°F)
	Operating Humidity	10% ~ 80% non-condensing
	Storage Temperature	-20°C ~ 50°C (-4°F ~ 122°F)
	Storage Humidity	0% ~ 90% non-condensing
Certification	FCC、CE、RoHS、IP66、UKCA	

* Product specifications are for reference only and could be subject to change without prior notice.

Shenzhen Foscam Intelligent Technology Co., Ltd.
Room 901-902, Building 1B, Shenzhen International Innovation Valley,
Xingke 1st Street, Nanshan District, Shenzhen, PRC 518055
E-mail: sales@foscam.com Website: www.foscam.com

FOSCAM®
home security